

# High Performance Differential Probes

► P7350 • P7330 • P6330



Tektronix' proven expertise in probes brings you the highest fidelity in high-speed differential probing. The P7350, P7330, P6330 high BW differential probes offer excellent signal fidelity, meeting the needs of engineers in design & debug of technologies with very fast clock speeds and edge rates. They provide high-bandwidth, low circuit loading, low noise differential probing solutions for high-speed circuit designers.

## P7350

The P7350 improves usability with variable spacing and solder down capability, and a small form factor for ease of use on densely packed circuit boards with difficult-to-reach probe points. It employs the patented TekConnect™ Interface, which preserves signal integrity to 10 GHz and beyond to meet present and future bandwidth needs.

## P7330 and P6330

The P7330 and P6330 enable users to make time domain or frequency domain measurements on high bandwidth signals commonly found in digital IC designs, communication applications, and disk drive applications. The P7330 and P6330 provide high-bandwidth, low circuit loading, and low noise differential probing solutions. The small probe head geometry and assorted probe tip accessories allow these probes to easily accommodate manual probing of surface mount devices.

## ► Features & Benefits

<100 ps Risetime  
(P7350 Guaranteed)

5 GHz to 3.5 GHz Bandwidths  
(Typical)

Low Input Capacitance:

<0.3 pF Differential  
(P7350 Typical)

≥60 dB (1000:1) Common  
Mode Rejection Ratio  
(CMRR) at 1 MHz  
(P7330, P6330 Typical)

Small Probe Head Allows  
Easy Probing of SMDs

P7350, P7330 TekConnect™  
Interface

P6330 TEKPROBE II® BNC  
interface (connects to  
TEKPROBE II BNC interface  
on TDS series oscilloscopes.  
Use 1103 TEKPROBE®  
power supply to interface  
with other BNC instruments)

## ► Applications

Communications  
(Gigabit Ethernet,  
Fibre Channel, InfiniBand)

Semiconductor  
Characterization & Validation  
(PCI-Express, Serial ATA,  
IEEE 1394, USB 2.0,  
RAMBUS, DDR)

Disk Drive Design

COMPUTING

COMMUNICATIONS

VIDEO

# High Performance Differential Probes

► P7350 • P7330 • P6330

## ► Characteristics

	P7350	P7330	P6330
Rise Time	<100 ps (guaranteed)	<140 ps (guaranteed)	<140 ps (guaranteed)
Bandwidth	5.0 GHz	3.5 GHz	3.5 GHz
Attenuation	6.25X	5X	5X
Differential Input C		<0.3 pF (typical)	
Differential Input Resistance	100 k $\Omega$	100 k $\Omega$	100 k $\Omega$
Differential Input Range	$\pm 2.5$ V (20 °C to 30 °C)	$\pm 2$ V (20 °C to 30 °C)	$\pm 2$ V (20 °C to 30 °C)
Common Mode Input Range	+6.25 V to -5 V	+5 V to -4 V	+5 V to -4 V
Max Voltage (non-destruct)	$\pm 25$ V (DC plus peak AC)	$\pm 25$ V (DC plus peak AC)	$\pm 25$ V (DC plus peak AC)
CMRR	>45 dB at 1 MHz (typical)	>60 dB at 1 MHz (typical)	>60 dB at 1 MHz (typical)
Noise	Approx. 46 nV/root Hz	Approx. 35 nV/root Hz	Approx. 35 nV/root Hz
Interface	TekConnect	TekConnect	TEKPROBE II BNC
Cable Length	1.3 m	1.3 m	1.3 m

# High Performance Differential Probes

► P7350 • P7330 • P6330

## ► Ordering Information

### P7350

5.0 GHz Differential Probe for TekConnect Interface.

**Includes:** See accessories table below.

### P7330

3.5 GHz Differential Probe for TekConnect Interface.

**Includes:** See accessories table below

### P6330

3.5 GHz Differential Probe for TEKPROBE® BNC Interface.

**Includes:** See accessories table below.

## Service

**Opt. C3** – Calibration Service 3 Years.

**Opt. C5** – Calibration Service 5 Years.

**Opt. D1** – Calibration Data Report.

**Opt. D3** – Calibration Data Report 3 Years (requires Option C3).

**Opt. D5** – Calibration Data Report 5 Years (requires Option C5).

**Opt. R3** – Repair Service 3 Years.

**Opt. R5** – Repair Service 5 Years.

## Recommended Accessories

**IEEE 1394 Breakout Connector** – Order 679-5027-00.

## Related Products

**1103** – TEKPROBE® II power supply for interfacing with other BNC instruments.

**80A03** – TekConnect probe interface module for TDS/CSA8000 series oscilloscopes.

## Power Plug Options for 1103

**A0** – North America power.

**A1** – Universal EURO power.

**A2** – United Kingdom power.

**A3** – Australia power.

**A4** – 240 V, North America power.

**A5** – Switzerland power.

## ► Accessories

	P7350		P7330		P6330	
	Part No.	Quantity	Part No.	Quantity	Part No.	Quantity
Y Lead Adapter	196-3434-00	2 each	196-3434-00	2 each	196-3434-00	2 each
3" Ground Lead	196-3469-00	2 each	196-3469-00	2 each	196-3469-00	2 each
IC Grabber (Pkg of 2)	—	—	013-0309-00	1 pkg	013-0309-00	1 pkg
SMT KlipChip™ Adapter	206-0364-00	2 each	206-0364-00	2 each	206-0364-00	2 each
TwinFoot™ Adapter (Pkg of 2)	016-1785-00	1 pkg	016-1785-00	1 pkg	016-1785-00	1 pkg
Square Pin Adapter (Pkg of 4)	016-1884-00	1 pkg	016-1884-00	1 pkg	016-1884-00	1 pkg
Plastic Accessory Box	006-7164-00	1	006-7164-00	1	006-7164-00	1
Coding Color Marker Kit	016-1886-00	1	—	—	—	—
Color Coding Clips	—	—	016-1315-00	1 set	016-1315-00	1 set
Variable Spacing Adapter (Pkg of 4)	016-1885-00	1 pkg	016-1885-00	1 pkg	016-1885-00	1 pkg
Probe Carrying Case	016-1879-00	1	016-1879-00	1	016-1879-00	1
Instruction Manual	071-1238-xx	1	071-0758-xx	1	071-0757-xx	1
Certificate of Traceable Calibration	—	1	—	1	—	1
Anti-static Wrist Strap	006-3415-04	1	006-3415-04	1	006-3415-04	1
Pin Jumper Lead	196-3473-00	2	196-3473-00	2	196-3473-00	2
Solder In Kit	020-2505-00	1	—	—	—	—

# High Performance Differential Probes

▶ P7350 • P7330 • P6330

## Contact Tektronix:

**ASEAN / Australasia / Pakistan** (65) 6356 3900

**Austria** +43 2236 8092 262

**Belgium** +32 (2) 715 89 70

**Brazil & South America** 55 (11) 3741-8360

**Canada** 1 (800) 661-5625

**Central Europe & Greece** +43 2236 8092 301

**Denmark** +45 44 850 700

**Finland** +358 (9) 4783 400

**France & North Africa** +33 (0) 1 69 86 80 34

**Germany** +49 (221) 94 77 400

**Hong Kong** (852) 2585-6688

**India** (91) 80-2275577

**Italy** +39 (02) 25086 1

**Japan** 81 (3) 3448-3010

**Mexico, Central America & Caribbean** 52 (55) 56666-333

**The Netherlands** +31 (0) 23 569 5555

**Norway** +47 22 07 07 00

**People's Republic of China** 86 (10) 6235 1230

**Poland** +48 (0) 22 521 53 40

**Republic of Korea** 82 (2) 528-5299

**Russia, CIS & The Baltics** +358 (9) 4783 400

**South Africa** +27 11 254 8360

**Spain** +34 (91) 372 6055

**Sweden** +46 8 477 6503/4

**Taiwan** 886 (2) 2722-9622

**United Kingdom & Eire** +44 (0) 1344 392400

**USA** 1 (800) 426-2200

**USA** (Export Sales) 1 (503) 627-1916

For other areas contact Tektronix, Inc. at: 1 (503) 627-7111

Updated 20 September 2002

Our most up-to-date product information is available at:  
[www.tektronix.com](http://www.tektronix.com)

CE marking not applicable.  
Product(s) are manufactured in ISO  
registered facilities.



Copyright © 2003, Tektronix, Inc. All rights reserved. Tektronix products are covered by U.S. and foreign patents, issued and pending. Information in this publication supersedes that in all previously published material. Specification and price change privileges reserved. TEKTRONIX and TEK are registered trademarks of Tektronix, Inc. All other trade names referenced are the service marks, trademarks or registered trademarks of their respective companies.

06/03 HB/SF

60W-13756-4